
[ASMScJ] Submission Acknowledgement

1 pesan

ASM Science Journal Editorial <sciencejournal@akademisains.gov.my>
Kepada: pada lumba <padalumba@gmail.com>

10 Agustus 2021 pukul 21.44

pada lumba:

Thank you for submitting the manuscript, "The Impact of Fatigue and Behavior of Driver on Probability of Accidents Severity in Motorcyclists" to ASM Science Journal. With the online journal management system that we are using, you will be able to track its progress through the editorial process by logging in to the journal web site:

Manuscript URL: <https://bm.akademisains.gov.my/asmsj/ojs/index.php/ASMSJ/authorDashboard/submission/989>

Username: padalumba

If you have any questions, please contact me. Thank you for considering this journal as a venue for your work.

ASM Science Journal Editorial

ASM Science Journal

Academy of Sciences Malaysia

Tingkat 20, Sayap barat, Menara MATRADE

Jalan Sultan Haji Ahmad Shah off Jalan Tuanku Abdul Halim

50480 Kuala Lumpur.

Tel: 03-6203 0633 Fax: 03-6203 0634

Website: www.akademisains.gov.my

The Impact of Fatigue and Behavior of Driver on Probability of Accidents Severity in Motorcyclists

This study focuses on the influence of fatigue factors and driving behavior on the probability of severely and mildly injured to motorcyclists. The respondents of this study were motorcyclists who had suffered an injury. The results of the analysis of 282 respondents with Bayes Theory and GeNie 2.0 Software showed that the probability of severely injured was 16% and mildly injured was 84%. Furthermore, validation of the model use 100 respondents. The results of the validation show that the Mean Absolute Deviation (MAD) value was 10.11%. Meaning that accuracy of model is high, thus several model scenarios were carried out to obtain the best alternatif to minimize the number of severely injured.

Keywords: Accident; Bayesian; Minor injuries; Severely injured; victim.

I. INTRODUCTION

The statistical data shows that 35.29% of motorcyclists aged over 20 years suffered fatigue before the accident, while 33.8% of drivers aged 20 years or below suffered fatigue before the accident (Lumba *et al.*, 2018). Fatigue that is suffered can be caused by the workload (Hensher *et al.*, 1992) that has been done before driving or driving too long (Ma *et al.*, 2003; Stutts *et al.*, 2001), resulting in the driver in unsafe conditions (Ma *et al.*, 2003; Stutts *et al.*, 2001). Dingus *et al.*, 2006). The heavier the work that is performed before driving, the more likely the driver will suffer fatigue while driving. Besides that, lack of rest factors such as lack of sleep can lead to fatigue when driving (Ma *et al.*, 2003; Lumba *et al.*, 2017), even at risk of accidents (Stutts *et al.*, 2001; Philip *et al.*, 2003). In addition, road factors can also cause fatigue when driving, especially on roads that can cause sense of monotony (Ma *et al.*, 2003; Thiffault & Bergeron., 2003a), such as driving on a straight road (Larue *et al.*, 2011). To avoid accidents on monotonous road, it is necessary to be limited long duration of driving on monotonous roads (Ting *et al.*, 2007; Lumba *et al.*, 2017).

Behavior factors in driving also affect the safety of drivers on the highway. Statistical data shows that 66.67% of female motorcyclists performed traffic violations before the accident, while 33.33% of female motorcyclists

performed traffic violations before the accident (Lumba *et al.*, 2018). In addition to the driver's gender, engine capacity or vehicle performance can also affect driving behavior. Motorcycles with engine capacity > 125 cm³ will influence the driver to increase their speed compared to motorcyclists with engine capacity ≤ 125 cm³, thus it will increase the probability of accident severity when the driver experiences accidents (Vorko-Jovic *et al.*, 2005; Gray *et al.*, 2008; Zainuddin, 2016; Teoh & Campbell., 2010; Bjørnskau *et al.*, 2011; Yannis *et al.*, 2004; Eliana., 2015; Lumba *et al.*, 2017; Lumba *et al.*, 2018).

The level of education will affect the probability of accident severity (Sami *et al.*, 2013). Driver's education level is related to SIM ownership. The ownership of driving license also affects the occurrence of head injuries at the time of an accident (Subekti., 2011). In addition to, The ownership of driving license and the level of education also affects the driver's understanding of traffic regulation, thus it is less likely the drivers will perform unintentional violations of traffic regulation.

Land Transportation Statistics (2019) shows that last 3 years data shows that the number of accident cases increase every year, meanwhile the number of fatality and seriously injured tends to decrease, however this number of injury victim are quite high, as shown in Table 1.

Comment [NABK1]: Not sure what does it means by this statement.

*Corresponding author's e-mail:

Table 1. Accident and accident severity

	2017	2018	2019
Number of accident	104.327	109.215	116.411
Fatal accident	30.694	29.472	25.671
Severely injured	14.559	13.315	12.475
Mildly injured	121.575	130.571	137.342
Material loss	217.031	213.866	254.779

Source: Land Transportation Statistics (2019)

Table 2. The number of vehicles

	2017	2018	2019
Passenger car	13.968.202	14.830.698	15.592.419
Bus	213.359	222.872	231.569
Truck	4.540.902	4.797.254	5.021.888
Motorcycles	100.200.245	106.657.952	112.771.136
Total	118.922.708	126.508.776	133.617.012

Source: Land Transportation Statistics (2019)

One of the causes of the increasing the number of accidents is due to the widespread the use of motorcycles in Indonesia. Statistical data in 2015 showed that 70.93% of accidents in Indonesia involved motorcyclists (Korlantas Polri, 2015). In 2019 the number of motorcycles in Indonesia have reached 133,617,012(Land Transportation Statistics, 2019), as shown Table 2.

The purpose of this study is to explore the dominant variables that affect accidents severity on motorcyclists in terms of fatigue and driving behavior. The contribution of this study is as an initial description for policy makers in an effort to make programs to minimize the risk of accidents.

II. MATERIALS AND METHOD

This research was conducted in Indonesia with sample of 282 respondents. The respondent's criteria are motorcyclists who had had an accident and aged at least 17 years old. Analyze of data use the Structure of Bayesian Network Method. The structure of this Bayesian Network is derived from Bayes Theory, with the formula:

$$P(A|B) = \frac{P(B|A) P(A)}{P(B|A) P(A) + P(B|-A) P(-A)}$$

Analysis of data use Genie 2.0 software (BayesFusion Downloads for Academia, 2017) and an example of calculation of Structure of Bayesian Network in Figure 1.

$$P(Y) = P(Y|H,I,G) \times P(H|G) \times P(I|G) + P(Y|H,-I,G) \times P(-H|G) \times P(-I|G) + P(Y|-H,-I,G) \times P(-H|G) \times P(-I|G) +$$

$$P(Y|-H,-I,G) \times P(-H|G) \times P(-I|G)$$




Figure 1. Example of analysis of bayessian network with 4 variables

Furthermore, the model is validated first by calculating the MAD value. The number of samples are used to validate this model by 100 respondents. If the result of validation show that the results of the model and the reality in the field are close, meaning that the model has high accuracy.

III. RESULT AND DISCUSSION

In this model, the probability of the accident severity is directly influenced by 3 variables including: driving license ownership, fatigue and speed. Meanwhile, the driving license ownership variable is influenced by the driver's education level, and the fatigue variable is influenced by the long duration of driving and road conditions. In addition, the variable speed is influenced by the variable engine capacity of the vehicle. Each variable have values that are obtained from the survey results and this value also inputs in the GeNie 2.0 Software, as shown in Table 3.

Table 3. Variable dan statistic

No	Variable	Value	Percentage
1	Driving lisence ownership (DL)	Yes(DL1)	50,35
		No (DL2)	49,65
2	Fatigue (F)	Yes(F1)	47,16
		No (F2)	52,84

Comment [NABK2]: No need to insert here if already inform in the previous paragraph.

3	Speed (S)	≤ 50 km/h (S1)	48,94
		50 < Speed ≤ 70 (S2)	41,49
		> 70 km/h (S3)	9,57
4	Educational Background (EB)	Under graduate (EB1)	61,35
		Senior high school and below (EB2)	38,65
5	Long Duration of Driving (LD)	≤ 30 minute (LD1)	70,21
		30 < LD ≤ 60 (LD2)	19,50
		> 60 minute (LD3)	10,28
6	Condition of Road (CR)	Monotonous (CR1)	43,97
		Unmonotonous (CR2)	56,03
7	Machine Capacity (MC)	≤ 125 cm3 (MC1)	56,03
		> 125 cm3 (MC2)	21,99

model is quite good, then several scenarios are made to get the best alternative in an effort to minimize the number of victims of injury especially motorcyclists.

Scenario 1 show that effecting of driving liscence ownership on the probability of accident severity. The results of the analysis show that drivers who had driving license had probability of severely injured is 15% and 17% for drivers who does not have a driving license, as shown in Figure 3 and Figure 4. The high probability of severely injured to a driver who does not have a driving license is caused by lack of knowledge of the driver to traffic regulation that result in the driver committ traffic violation unintentional and the ownership of this driving license has effecting on injury at the time of the accident. This research is in line with research conducted by (Subekti, 2011).

Scenario 2 shows that there are relationship between long duration of driving and road conditions to an increasing of fatigue. The results of the analysis show that drivers who drive for about 30 minutes to 60 minutes and drive on monotonous roads can increase driver fatigue by 21% from 48% to 68% as shown in Figure 5. This is because the longer the trip, the greater the fatigue, as well as driving on monotonous roads such as a long straight road can cause drowsiness when driving because on a straight road. This study is in line with research conducted by (Ma *et al.*, 2003; Stutts *et al.*, 2001; Thiffault & Bergeron., 2003a; Larue *et al.*, 2011).

The results of the analysis with GeNie 2 software show that the probability of severely injured is 16%, the probability of mildly injured is 84% as shown in Figure 2. After that from the structure bayesian network is obtained the equation as shown in Table 4. Furthermore, to obtain the accuracy of the model, this model needs to be validated by calculating the MAD value. The results of the validation calculations show the MAD value is 10.11% as shown in Table 5. Meaning that the difference in the calculation of the probability of accident severity between the model and actual condition were 10.11%. Because the accuracy of the




Figure2. Structure of bayesian network of probabilityof accident severity

Table 4. Equation of probability of accident severity (AS)

No	P(DL)	P(F)	P(S)	P(AS=Accident Severity)		
1	DL1	F1	S1	$P(AS)_1 = P(AS DL1, F1, S1, EB, LD, CR, MC)$ $P(S1 MC)$	$P(DL1 EB)$	$P(F1 LD, CR)$
2	DL1	F1	S2	$P(AS)_2 = P(AS DL1, F1, S2, EB, LD, CR, MC)$ $P(S2 MC)$	$P(DL1 EB)$	$P(F1 LD, CR)$
3	DL1	F1	S3	$P(AS)_3 = P(AS DL1, F1, S3, EB, LD, CR, MC)$ $P(S3 MC)$	$P(DL1 EB)$	$P(F1 LD, CR)$
4	DL1	F2	S1	$P(AS)_4 = P(AS DL1, F2, S1, EB, LD, CR, MC)$ $P(S1 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
5	DL1	F2	S2	$P(AS)_5 = P(AS DL1, F2, S2, EB, LD, CR, MC)$ $P(S2 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
6	DL1	F2	S3	$P(AS)_6 = P(AS DL1, F2, S3, EB, LD, CR, MC)$ $P(S3 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
7	DL2	F1	S1	$P(AS)_7 = P(AS DL2, F1, S1, EB, LD, CR, MC)$ $P(S1 MC)$	$P(DL2 EB)$	$P(F1 LD, CR)$
8	DL2	F1	S2	$P(AS)_8 = P(AS DL2, F1, S2, EB, LD, CR, MC)$ $P(S2 MC)$	$P(DL1 EB)$	$P(F1 LD, CR)$
9	DL2	F1	S3	$P(AS)_9 = P(AS DL2, F1, S3, EB, LD, CR, MC)$ $P(S3 MC)$	$P(DL2 EB)$	$P(F1 LD, CR)$
10	DL2	F2	S1	$P(AS)_{10} = P(AS DL2, F2, S1, EB, LD, CR, MC)$ $P(S1 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
11	DL2	F2	S2	$P(AS)_{11} = P(AS DL2, F2, S2, EB, LD, CR, MC)$ $P(S2 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
12	DL2	F2	S3	$P(AS)_{12} = P(AS DL2, F2, S3, EB, LD, CR, MC)$ $P(S3 MC)$	$P(DL1 EB)$	$P(F2 LD, CR)$
				$\sum P(AS=Accident\ Severity)$		

Table 5. Mean Absolute Deviation (MAD)

Probabilit y	Driving license ownership	Fatigue	Speed	Probability of severely injured		Deviation
				Model	Actual	
1	Yes	Yes	S1	14	11	3
2	Yes	Yes	S2	16	17	1
3	Yes	Yes	S3			
4	Yes	No	S1	14	50	36
5	Yes	No	S2	11	7	4
6	Yes	No	S3			

7	No	Yes	S1	17	7	10
8	No	Yes	S2	11	0	11
9	No	Yes	S3			
10	No	No	S1	14	19	5
11	No	No	S2	21	10	11
12	No	No	S3	40	50	10
Mean Absolute Deviation (MAD)						10,11

Scenario 3 shows that there is a relationship between the increasing engine capacity and the increasing speed when driving, thus it can lead to increasing the severity of accidents. The results of the analysis show that the motorcyclists with engine capacity of 125 cm³ have probability of severely injured by 16%, while the motorcyclists with an engine capacity of > 125 cm³ have probability of severely injured by 18% as shown in Figure 6 and Figure 7. The increasing of the engine capacity will impact of the increasing of performance of motorcycle, such as speed, it will influence the probability of accident severity. This study is in line with research

conducted by (Vorko-Jovic *et al.*, 2005; Gray *et al.*, 2008; Zainuddin, 2016; Teoh & Campbell., 2010; Bjørnskau *et al.*, 2011; Yannis *et al.*, 2004; Eliana., 2015; Lumba *et al.*, 2017; Dolphins *et al.*, 2018).

Scenario 4 shows that a driver with a speed above 70 km/h can increase the probability of severely injured by 13% from 16% to 29% as shown in Figure 8. This study is in line with research conducted by (Vorko-Jovic *et al.*, 2005; Gray *et al.*, 2008) ; Zainuddin, 2016; Teoh & Campbell., 2010; Bjørnskau *et al.*, 2011; Yannis *et al.*, 2004; Eliana., 2015; Lumba *et al.*, 2017; Lumba *et al.*, 2018).




Figure 3. Scenario 1A: Effect of driving license ownership to accident severity




Figure4. Skenario1B: Effect of without driving lisenace ownership to accident severity




Figure5. Skenario2: Effect long duration of driving and condition of road to fatigue




Figure6. Skenario3A: Effect of machine capacity ≤ 125 cm3 to accident severity




Figure7. **Skenario3B**: Effect of machine capacity > 125 cm3 to accident severity




Figure8. **Skenario4**: Effect of speed to accident severity

IV. CONCLUSION

From 282 respondents, the results of the analysis show that the probability of severely injured is 16%, the probability of mildly injured is 84%. Scenario 1 shows that drivers who have a driving license have a lower probability of severely injured than drivers who do not have a driving license. Scenario 2 shows that drivers who drive for about 30 minutes to 60 minutes and driving on monotonous roads can increase fatigue. Scenario 3 shows that the drivers with a

motorcycle engine capacity of 125 cm3 have a lower probability of severely injured than rider with an engine capacity of > 125 cm3. Scenario 4 shows that driving at speeds above 70 km/h can increase the probability of severely injured.

Comment [NABK3]: Too simple and short.

V. ACKNOWLEDGEMENT

The author would like to express our sincere gratitude to Department of Civil Engineering, Universitas Pasir Pengaraian for it's

encouragement to publish the results of this study.

I. REFERENCES

- BayesFusion Downloads for Academia. (2017). Retrieved from: <https://download.bayesfusion.com/files.html?category=Academia>
- Bjørnskau, T, Nævestad, TO & Akhtar, J 2011, 'Traffic safety among motorcyclists in Norway: A study of subgroups and risk factors', *Accident Analysis and Prevention*, 49 (2012) 50– 57
- Dingus, TA, Neale, VL, Klauer, SG, Petersen, AD & Carroll, RJ 2006, 'The development of a naturalistic data collection system to perform critical Incident analysis: an investigation of safety and fatigue issues in long-haul trucking', *Accident Analysis and Prevention*, 38(6), 1127–1136.
- Eliana D 2015, 'Pengaruh agresivitas dan kecepatan terhadap tingkat keparahan kecelakaan pada pengemudi sepeda motor di Kabupaten Bantul', *S2 Ilmu Kesehatan Masyarakat UGM*, Tesis, Penerbit Universitas Gadjah Mada
- Gray, RC, Quddus, MA, & Evans, A 2008, 'Injury severity analysis of accidents involving young male drivers in Great Britain', *Journal of Safety Research*, 39 (2008) 483–495
- Hensher, DA, DANIELS, R, & Battellino, H 1992, 'Safety and productivity in the long distance trucking industry', proceeding, 16th ARRB Conference, 9-13 November 1992, Perth, Western Australia, Volume 16, Part 4
- Korlantas Polri 2015, Statistic. Retrieved from: <http://korlantas.polri.go.id/en/statistik-2/>
- Land Transportation Statistics 2019, Retrieved from <https://www.bps.go.id/publication/download.html?nrbfveve=ZGRjZTQzNGM5MjUzNjc3N2JmMDc2MDVh&xzmn=aHRocHM6Ly93d3cuYnBzLmdvLmlkL3B1YmtpY2FoaW9uLzIwMjAvMTEvMjAvZGRjZTQzNGM5MjUzNjc3N2JmMDc2MDVhL3NoYXRpc3Rpay10cmFuc3BvcnRhc2ktZGFyYXQtMjAxOS5odG1s&twoadfnoarfeauf=MjAyMSowMioyMCAyMDowNToxMw%3D%3D>
- Larue, GS, Rakotonirainya, A & Pettitt, AN 2011, 'Driving performance impairments due to hypovigilance on monotonous roads', *Accident Analysis and Prevention* 43 (2011) 2037– 2046, Elsevier.
- Lumba, P, Priyanto, S, & Muthohar, I 2016, 'Prediction for Probability of Fatigue-Related Accident in Motorcyclists', *Proceeding Applied Science and Technology*, Vol.1 No.1 2017 <http://www.estech.org>
- Lumba, P, Muthohar, I & Priyanto, S 2017, 'Human Factors on Motorcyclists' Accidents Severity; Analysis Using Bayesian Network', *International Journal of Engineering and Technology (IJET)*, DOI: 10.21817/ijet/2017/v9i1/170901425
- Lumba, P, Priyanto, S, & Muthohar, I 2017, 'Effects of Sleep Duration on the Probability of Accident in Motorcyclists', *Proceedings of the Eastern Asia Society for Transportation Studies*, Vol.11, 2017
- Lumba, P, Priyanto, S, & Muthohar, I 2018, 'Analyzing accident severity of motorcyclists using a Bayesian network', *Songklanakarinn Journal of Science and Technology*. 40 (6), 1464-1472, Nov. -Dec. 2018
- Ma, T, Wiliamson, A & Friswell, R 2003, 'A Pilot Study of Fatigue on Motorcycle Day Trips',

- Sydney, Australia: NSW Injury Risk Management Research Centre.
- Philip, P, Sagaspe, P, Moore, N, Taillard, J, Charles, A, Guilleminault, C, & Bioulac, B 2003, 'Fatigue, sleep restriction and driving performance', *Accident Analysis and Prevention* 37 (2005) 473-478, Elsevier/Thiffault dan Bergeron, 2003a
- Sami, A, Moafian, G, Najafi, A, RezaAghabeigi, M, Yamini, N, Heydari, ST, & Lankarani, KB 2013, 'Educational level and age as contributing factors to road traffic accidents', *Chinese Journal of Traumatology* 2013;16(5):281-285
- Software Genie Diakses dari:
https://dslpitt.org/genie/wiki/GeNIe_Documentation (2016)
- Stutts, JC, Wilkins, JW, Osberg, JS, O, & Vaughn, BV 2003, 'Driver Risk Factors for Sleep-Related Crashes', *Accident Analysis and Prevention*, 35, 321-331
- Subekti, H 2011, 'Analisis spasial dan faktor risiko terjadinya kecelakaan lalu lintas pada pengendara sepeda motor di wilayah kabupaten Sleman', *S2 Ilmu Kesehatan Masyarakat UGM*, Tesis, Penerbit Universitas Gadjah Mada
- Ting, PH, Hwang, JR, Doong, JL, & Jeng, MC 2007, 'Driver fatigue and highway driving: A simulator study', *Physiology & Behavior* 94 (2008) 448-453, Elsevier
- Teoh, ER & Campbell, M 2010, 'Role of motorcycle type in fatal motorcycle crashes', *Journal of Safety Research* 41 (2010) 507-512
- Vorko-Jovic, A, Kern, J & Biloglav, Z 2005, 'Risk factors in urban road traffic accidents', *Journal of Safety Research* 37 (2006) 93 - 98, Pergamon
- Yannis, G, Papadimitriou, E, Chaziris, A & Broughton, J 2014, 'Modeling road accident injury under-reporting in Europe', *Eur. Transp. Res. Rev.* (2014) 6:425- 438
- Zainuddin, DV, Yuniar, N, & Fachlevy, AF 2016, 'Faktor yang Berhubungan dengan Keperawatan Korban Kecelakaan Lalu Lintas pada Pengendara Sepeda Motor di IGD Rumah Sakit Umum Daerah Kota Kendari Tahun 2016', *Fakultas Kesehatan Masyarakat Universitas Halu Ole.*

The Impact of Fatigue and Behavior of Driver on Probability of Accidents Severity in Motorcyclists

Number	Comments to the Author	After revision by author																																																
1	<p>In abstract, “thus several model scenarios were carried out to obtain the best alternatif to minimize the number of severely injured”</p> <p>Comment of reviewer: Not sure what does it means by this statement.</p>	<p>..... Deviation (MAD) value was 10.11%. Meaning that accuracy of model is high. After that, several scenarios were performed with the aim to know the effect of each variable on the accidents severity at the time of an accident, such as: effect of driving license ownership to accident severity, effect of long duration of driving and condition of road to the fatigue, effect of machine capacity of ehicle to accident severity. This condition will give an initial description to policy makers in an effort to minimize the victim of fatality and severely injured.</p> <p>This revision was in abstract section</p>																																																
2	<p>In Section 1, paragraph 1, “driving or driving too long (Ma <i>et al.</i>, 2003; Stutts <i>et al.</i>, 2001), resulting in the driver in unsafe conditions (Ma <i>et al.</i>, 2003; Stutts <i>et al.</i>, 2001). Dingus <i>et al.</i>, 2006)”.</p>	<p>driving too long (Ma <i>et al.</i>, 2003; Stutts <i>et al.</i>, 2001), resulting in the driver in unsafe conditions (Ma <i>et al.</i>, 2003; Stutts <i>et al.</i>, 2001; Dingus <i>et al.</i>, 2006).</p> <p>This revision was in the first paragraph in the section 1</p>																																																
3	<p>In Section 1, paragraph 4, “Land Transportation Statistics (2019) shows that last 3 years data shows that the number of accident cases increase every year, meanwhile the number of falality and seriously injured tends to decrease, however this number of injury victim are quite high, as shown in Table 1”.</p>	<p>Land Transportation Statistics (2019) shows that last 3 years data shows that the number of accident cases increase every year, meanwhile the number of fatality and severely injured tends to decrease, however this number of injury victim are quite high, as shown in Table 1.</p> <p>This revision was in the fourth paragraph in the section 1</p>																																																
4	<p>In Section 1</p> <p>Table 1. Accident and accident severity</p> <table border="1"> <thead> <tr> <th></th> <th>2017</th> <th>2018</th> <th>2019</th> </tr> </thead> <tbody> <tr> <td>Number of accident</td> <td>104.327</td> <td>109.215</td> <td>116.411</td> </tr> <tr> <td>Fatal accident</td> <td>30.694</td> <td>29.472</td> <td>25.671</td> </tr> <tr> <td>Severely injured</td> <td>14.559</td> <td>13.315</td> <td>12.475</td> </tr> <tr> <td>Mildly injured</td> <td>121.575</td> <td>130.571</td> <td>137.342</td> </tr> <tr> <td>Material loss</td> <td>217.031</td> <td>213.866</td> <td>254.779</td> </tr> </tbody> </table>		2017	2018	2019	Number of accident	104.327	109.215	116.411	Fatal accident	30.694	29.472	25.671	Severely injured	14.559	13.315	12.475	Mildly injured	121.575	130.571	137.342	Material loss	217.031	213.866	254.779	<p>Table 1. Accident and accident severity</p> <table border="1"> <thead> <tr> <th></th> <th>2017</th> <th>2018</th> <th>2019</th> </tr> </thead> <tbody> <tr> <td>Number of accident</td> <td>104.327</td> <td>109.215</td> <td>116.411</td> </tr> <tr> <td>Fatal accident</td> <td>30.694</td> <td>29.472</td> <td>25.671</td> </tr> <tr> <td>Severely injured</td> <td>14.559</td> <td>13.315</td> <td>12.475</td> </tr> <tr> <td>Mildly injured</td> <td>121.575</td> <td>130.571</td> <td>137.342</td> </tr> <tr> <td>Material</td> <td>217.031</td> <td>213.866</td> <td>254.779</td> </tr> </tbody> </table>		2017	2018	2019	Number of accident	104.327	109.215	116.411	Fatal accident	30.694	29.472	25.671	Severely injured	14.559	13.315	12.475	Mildly injured	121.575	130.571	137.342	Material	217.031	213.866	254.779
	2017	2018	2019																																															
Number of accident	104.327	109.215	116.411																																															
Fatal accident	30.694	29.472	25.671																																															
Severely injured	14.559	13.315	12.475																																															
Mildly injured	121.575	130.571	137.342																																															
Material loss	217.031	213.866	254.779																																															
	2017	2018	2019																																															
Number of accident	104.327	109.215	116.411																																															
Fatal accident	30.694	29.472	25.671																																															
Severely injured	14.559	13.315	12.475																																															
Mildly injured	121.575	130.571	137.342																																															
Material	217.031	213.866	254.779																																															

	<p>Source: Land Transportation Statistics (2019)</p> <p>Table 2. The number of vehicles</p> <table border="1"> <thead> <tr> <th></th> <th>2017</th> <th>2018</th> <th>2019</th> </tr> </thead> <tbody> <tr> <td>Passenger car</td> <td>13.968.202</td> <td>14.830.698</td> <td>15.592.419</td> </tr> <tr> <td>Bus</td> <td>213.359</td> <td>222.872</td> <td>231.569</td> </tr> <tr> <td>Truck</td> <td>4.540.902</td> <td>4.797.254</td> <td>5.021.888</td> </tr> <tr> <td>Motorcycles</td> <td>100.200.245</td> <td>106.657.952</td> <td>112.771.136</td> </tr> <tr> <td>Total</td> <td>118.922.708</td> <td>126.508.776</td> <td>133.617.012</td> </tr> </tbody> </table> <p>Source: Land Transportation Statistics (2019)</p> <p>Comment of reviewer: No need to insert here if already inform in the previous paragraph.</p>		2017	2018	2019	Passenger car	13.968.202	14.830.698	15.592.419	Bus	213.359	222.872	231.569	Truck	4.540.902	4.797.254	5.021.888	Motorcycles	100.200.245	106.657.952	112.771.136	Total	118.922.708	126.508.776	133.617.012	<p>loss</p> <p>Table 2. The number of vehicles</p> <table border="1"> <thead> <tr> <th></th> <th>2017</th> <th>2018</th> <th>2019</th> </tr> </thead> <tbody> <tr> <td>Passenger car</td> <td>13.968.202</td> <td>14.830.698</td> <td>15.592.419</td> </tr> <tr> <td>Bus</td> <td>213.359</td> <td>222.872</td> <td>231.569</td> </tr> <tr> <td>Truck</td> <td>4.540.902</td> <td>4.797.254</td> <td>5.021.888</td> </tr> <tr> <td>Motorcycles</td> <td>100.200.245</td> <td>106.657.952</td> <td>112.771.136</td> </tr> <tr> <td>Total</td> <td>118.922.708</td> <td>126.508.776</td> <td>133.617.012</td> </tr> </tbody> </table> <p>This revision was in the section 1</p>		2017	2018	2019	Passenger car	13.968.202	14.830.698	15.592.419	Bus	213.359	222.872	231.569	Truck	4.540.902	4.797.254	5.021.888	Motorcycles	100.200.245	106.657.952	112.771.136	Total	118.922.708	126.508.776	133.617.012
	2017	2018	2019																																															
Passenger car	13.968.202	14.830.698	15.592.419																																															
Bus	213.359	222.872	231.569																																															
Truck	4.540.902	4.797.254	5.021.888																																															
Motorcycles	100.200.245	106.657.952	112.771.136																																															
Total	118.922.708	126.508.776	133.617.012																																															
	2017	2018	2019																																															
Passenger car	13.968.202	14.830.698	15.592.419																																															
Bus	213.359	222.872	231.569																																															
Truck	4.540.902	4.797.254	5.021.888																																															
Motorcycles	100.200.245	106.657.952	112.771.136																																															
Total	118.922.708	126.508.776	133.617.012																																															
5	<p>In section 3</p> <p>Figure 3. Skenario 1A: Effect of driving license ownership to accident severity</p> <p>Figure 4. Skenario 1B: Effect of without driving license ownership to accident severity</p> <p>Figure 5. Skenario 2: Effect long duration of driving and condition of road to fatigue</p> <p>Figure 6. Skenario 3A: Effect of machine capacity 125 cm³ to accident severity</p> <p>Figure 7. Skenario 3B: Effect of machine capacity > 125 cm³ to accident severity</p> <p>Figure 8. Skenario 4: Effect of speed to accident severity</p>	<p>Figure 3. Scenario 1A: Effect of driving license ownership to accident severity</p> <p>Figure 4. Scenario 1B: Effect of without driving license ownership to accident severity</p> <p>Figure 5. Scenario 2: Effect long duration of driving and condition of road to fatigue</p> <p>Figure 6. Scenario 3A: Effect of machine capacity 125 cm³ to accident severity</p> <p>Figure 7. Scenario 3B: Effect of machine capacity > 125 cm³ to accident severity</p> <p>Figure 8. Scenario 4: Effect of speed to accident severity</p> <p>This revision was in the section 3</p>																																																
6	<p>In Section 4, "Conclusion".</p> <p>Comment of reviewer: Too simple and short.</p>	<p>From 282 respondents, the results of the analysis show that the probability of severely injured is 16%, the probability of mildly injured is 84%. Scenario 1 shows that drivers who have a driving license have a lower probability of severely injured than drivers who do not have a driving license. The high probability of severely injured to a driver who does not have a driving license is caused by lack of knowledge of driver about traffic regulation, thus the driver conduct traffic violation both intentional and unintentional.</p> <p>Scenario 2 shows that drivers who drive for about 30 minutes to 60 minutes and</p>																																																

		<p>driving on monotonous roads can increase fatigue. This is caused by the longer the trip, the greater the fatigue, beside that the driver drive on monotonous roads can cause drowsiness when driving.</p> <p>Scenario 3 shows that the drivers with a motorcycle engine capacity of 125 cm³ have a lower probability of severely injured than rider with an engine capacity of > 125 cm³. The increasing of the engine capacity will impact of the increasing of performance of motorcycle, thus, it will impct to probability of accident severity. Scenario 4 shows that driving at speeds above 70 km/h can increase the probability of severely injured.</p> <p>This revision was in the section 4</p>
--	--	---

[ASMScJ] Editor Decision

1 pesan

Ms Ain Athirah Rozali <ain.athirah@akademisains.gov.my>
Kepada: pada lumba <padalumba@gmail.com>

6 Desember 2021 pukul 08.00

pada lumba:

We have reached a decision regarding your submission to ASM Science Journal, "The Impact of Fatigue and Behavior of Driver on Probability of Accidents Severity in Motorcyclists".

Our decision is to: We have received your revision submission and now it will be processed to the copyediting stage. For your information, copyediting stage will be completed by our journal manager.

Thank you.

Ms Ain Athirah Rozali
ain.athirah@akademisains.gov.my

ASM Science Journal

Academy of Sciences Malaysia

Tingkat 20, Sayap barat, Menara MATRADE

Jalan Sultan Haji Ahmad Shah off [Jalan Tuanku Abdul Halim](#)

[50480 Kuala Lumpur](#).

Tel: 03-6203 0633 Fax: 03-6203 0634

Website: www.akademisains.gov.my

[ASMSJ] Editor Decision

1 pesan

Ms Ain Athirah Rozali <ain.athirah@akademisains.gov.my>
Kepada: pada lumba <padalumba@gmail.com>

3 Februari 2022 pukul 14.03

pada lumba:

The editing of your submission, "The Impact of Fatigue and Behavior of Driver on Probability of Accidents Severity in Motorcyclists," is complete. We are now sending it to production.

Please await further instructions once the Galley is ready for your viewing and minor editing. Thank you.

Submission URL: <https://bm.akademisains.gov.my/asmsj/ojs/index.php/ASMSJ/authorDashboard/submission/989>

Ms Ain Athirah Rozali
ain.athirah@akademisains.gov.my

ASM Science Journal

Academy of Sciences Malaysia

20th Floor, West Wing

MATRADE Tower

[Jalan Sultan Haji Ahmad Shah](#)[50480 Kuala Lumpur.](#)

Tel: +603 6203 0633

Website: www.akademisains.gov.my